

*Authorized Copy – for demonstration purposes only!*

# **VALIDATION HANDBOOK**

## **Biotest HYCON®**

Experimental determination of the collection efficiency of  
the microbial air samplers

RCS High Flow, RCS Plus and RCS Isolator

Edited by

Biotest AG  
Landsteinerstrasse 5  
63303 Dreieich, Germany  
Authors: Dr. J. Horn, Dr. V. Friemert

**Status: January 2007**

## Experimental determination of the collection efficiency of the microbial air samplers RCS High Flow and RCS Plus

	Page
<b>Property of .....</b>	<b>5</b>
<b>Supplements .....</b>	<b>6</b>
<b>1. Basics of aerobiology .....</b>	<b>7</b>
1.1 Statutory methods and guidelines .....	8
1.2 Regulatory requirements for ambient air control .....	12
<b>2. Introduction .....</b>	<b>13</b>
<b>3. Physical collection efficiency.....</b>	<b>15</b>
3.1 Experimental procedure .....	15
3.1.1 Reference method 1 (according to ISO 14698-1).....	15
3.1.2 Reference method 2 .....	16
3.2 Result: Physical collection efficiency of the RCS Plus .....	17
3.3 Physical collection efficiency of the RCS High Flow .....	19
3.3.1 Results: Physical collection efficiency of the RCS High Flow .....	19
3.3.2 Comparison of RCS Plus versus RCS High Flow.....	19
3.4 Calculation of the rate of impact .....	20
3.5 Validation of the Biotest air sampler RCS Isolator .....	21
<b>4. The biological collection efficiency .....</b>	<b>22</b>
4.1 Description of the procedure.....	22
4.2 Preparation of spores and microorganisms .....	23
4.3 Experimental design.....	25
4.4 Procedure.....	25
4.5 Results: Biological collection efficiency of the RCS Plus and High Flow .....	26
4.6 Biological efficiency of the RCS Isolator .....	28
<b>5. Validation of the agar strips .....</b>	<b>30</b>
5.1 Description of the agar strips .....	30
5.2 Description of the procedure.....	30
5.3 Validation of the total count media TC, TSM and TC- $\gamma$ ; as well as of the selective media MacConkey and Mannitol Salt.....	30

*Authorized Copy – for demonstration purposes only!*

5.3.1	Experimental design and performance.....	31
5.3.2	Selection of spores and microorganisms .....	32
5.3.3	Preparation of the microorganisms for the nebulization process .....	33
5.3.4	Results .....	34
5.4	Validation of specific fungal nutrient media.....	37
5.4.1	Experiment design.....	37
5.4.2	Results of the biological validation of fungal nutrient media .....	39
<b>6.</b>	<b>Operative efficiency and performance qualification.....</b>	<b>42</b>
6.1	Introduction .....	42
6.2	Statistical recommendations for comparisons.....	42
6.3	Comparison of different microbial air samplers.....	45
6.3.1	Comparison of the RCS High Flow, MAS 100, SAS Super 100 and M AIR T with total count media .....	45
6.3.2	Comparison of RCS High Flow, MAS 100, SAS Super 100 and M AIR T in the detection of airborne fungi using various media.....	46
6.3.3	Comparison of the physical efficiency of SAS Super 90 and RCS Plus and consequences (especially for the food-processing industry).....	47
6.3.4	Seasonal fluctuations of airborne-microbe counts; possible effects on Cleanrooms.....	49
6.4.	Shelf-life Evaluation of Biotest Agar Strips.....	51
6.4.1	Validation of Agar strips at cooled storage conditions (2°C - 15°C).....	51
6.4.2	Validation of agar strips TC, TC- $\gamma$ , TCI- $\gamma$ , TSM, SDX, SDX- and DG-18 at storage conditions of room temperature .....	58
6.4.3	Validation of selective Agar strip YM (Rose Bengal) .....	64
6.5	Shelf-life testing and demonstration of the suitability for collection of 1 m <sup>3</sup> .....	68
6.6	Effects of dehydration.....	69
6.6.1	Water loss of Agar Strip Material (PET) .....	71
6.6.2	Extended monitoring using PET TCI- $\gamma$ agar strip.....	73
6.6.3	Air sampling on pre-dried agar strips .....	75
6.7	Resistance of Agar strips in PET foil against Hydrogenperoxide Vapor .....	76
6.8	Prolonged passive exposure to airflow of agar strips in RCS units. ....	78
6.9	Validation of $\gamma$ -irradiation of agar strips .....	80
6.10	Incubation of media / microbe yields and incubation duration .....	82
6.11	Increase in the colony count as a function of incubation time .....	85
6.12	Airborne-microbe isolations under special conditions .....	86
6.12.1	Cool rooms and Cold boxes.....	86
6.12.2	Deep-freeze room.....	86

*Authorized Copy – for demonstration purposes only!*

6.12.3	Measurements in penicillin-containing air .....	86
6.12.4	Measurements in cephalosporin-containing air .....	86
6.12.5	Airborne-microbe measurements in the isolator .....	87
6.13	Microbe burden of an uncleaned microbial air sampler; sterilization of a complete sampler with H <sub>2</sub> O <sub>2</sub> .....	91
6.13.1	Sterilization of RCS Plus and RCS High Flow .....	91
6.13.2	Sterilization of RCS Isolator .....	93
6.14	Peroxide concentration in gas-impermeable packed media / gassing of surface-contaminated strips .....	95
6.15	Surface investigation in an isolator .....	96
6.16	Comparison of standard tryptic soy (TC-γ) with peroxide-neutralizing tryptic soy agar (TCI-γ) .....	97
6.17	Comparison of TCI-γ with anti-peroxide cassettes .....	98
6.18	Checking the peroxide burden in the isolator .....	100
6.19	Sterile microbial air samplers for use in critical areas .....	100
6.20	Quantification of Neutralizing Capacity of TCI-γ.....	101
6.21	Detection of anaerobe Microorganisms in aerobe environments by different air sampler systems.....	104
6.22	Validation of RCS Compressed Gas Adapter (with TCI-γ agarstrip).....	108
6.23	Validation of Calibration.....	112
6.23.1	Part 1: Determination of the accuracy and reproducibility of measurements with the fourth generation anemometers.....	113
6.23.2	Part 2: Accuracy and reproducibility of calibration of RCS High Flow samplers Materials and methods.....	116
6.23.3	Part 3: Influence of external factors on the results of calibration of RCS High Flow samplers ("robustness").....	120
6.23.5	Checking the CalibSo calculations .....	122
6.24	Deviations of flow rate of 5 RCS High Flow rotors after dismantling and assembling .....	123
<b>Literature .....</b>		<b>127</b>
<b>List of Tables.....</b>		<b>129</b>
<b>List of Figures .....</b>		<b>131</b>